

Time Stamp	
21	2004/02/23 15:51
22	2004/02/23 15:52
23	2004/02/23 15:52
24	2004/02/24 14:48
25	2004/02/24 15:50
26	2004/02/24 16:54
27	2004/02/24 14:50
28	2004/02/24 17:14
29	2004/02/24 15:45
30	2004/02/24 15:53
31	2004/02/24 15:55
32	2004/02/24 15:54
33	2004/02/24 16:00
34	2004/02/24 16:01
35	2004/02/24 16:01
36	2004/02/24 16:10

Time Stamp	
1	2004/03/01 09:52
2	2004/02/23 13:12
3	2004/02/23 12:20
4	2004/02/23 12:45
5	2004/02/23 12:22
6	2004/02/23 12:34
7	2004/02/23 12:45
8	2004/02/23 13:12
9	2004/02/23 13:13
10	2004/02/23 13:13
11	2004/02/23 13:13
12	2004/02/23 14:23
13	2004/02/23 14:38
14	2004/02/23 15:03
15	2004/02/23 14:35
16	2004/02/23 14:39
17	2004/02/23 14:40
18	2004/02/23 15:03
19	2004/02/23 15:03
20	2004/02/23 15:04

	Type	Hits	Search Text	DBs
1	BRS	479	(gain or amplitude or AGC or "automatic gain control") same (fly\$3 near3 (high or height))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	1726	360/31.ccis.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	199	(gain or amplitude or AGC or "automatic gain control") same (fly\$3 near3 (high or height)) same (sav\$3 or stor\$3 or record\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	45	((gain or amplitude or AGC or "automatic gain control") same (fly\$3 near3 (high or height))) and 360/31.ccis.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	15	("4777544"   "4933783"   "5082827"   "5130866"   "5168413"   "5339207"   "5377058"   "5410439"   "5412519"   "5446601"   "5631891"   "5760983"   "5831781"   "5909330"   "6249393").PN.	USPAT
6	BRS	11	("3686682"   "4146911"   "4777544"   "4841389"   "5082827"   "5130866"   "5168413"   "5377058"   "5410439"   "5412519"   "5831781").PN.	USPAT
7	IS&R	3	((6459539) or (6229665)).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	75	((gain or amplitude or AGC or "automatic gain control") same (fly\$3 near3 (high or height))) and 360/75.ccis.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	47	(((gain or amplitude or AGC or "automatic gain control") same (fly\$3 near3 (high or height))) and 360/75.ccis.) not (((gain or amplitude or AGC or "automatic gain control") same (fly\$3 near3 (high or height))) and 360/31.ccis.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	49	(AGC or "automatic gain control") same (fly\$3 near3 (high or height))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	93643	360/\$.ccis.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	42	((AGC or "automatic gain control") same (fly\$3 near3 (high or height))) and 360/\$.ccis.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	10	((monitor\$3 or measur\$3 or read\$3 or reproduc\$3 or sens\$3 or detect\$3) near2 (AGC or "automatic gain control" or "auto gain control")) same ((stor\$3 or sav\$3 or record\$3 or writ\$3) near5 (value or threshold) near5 (disc or disk or medium))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	19	((monitor\$3 or measur\$3 or read\$3 or reproduc\$3 or sens\$3 or detect\$3) near2 (AGC or "automatic gain control" or "auto gain control")) same ((stor\$3 or sav\$3 or record\$3 or writ\$3) with (value or threshold) with (disc or disk or medium))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	9	(((monitor\$3 or measur\$3 or read\$3 or reproduc\$3 or sens\$3 or detect\$3) near2 (AGC or "automatic gain control" or "auto gain control")) same ((stor\$3 or sav\$3 or record\$3 or writ\$3) with (value or threshold) with (disc or disk or medium))) not (((monitor\$3 or measur\$3 or read\$3 or reproduc\$3 or sens\$3 or detect\$3) near2 (AGC or "automatic gain control" or "auto gain control")) same ((stor\$3 or sav\$3 or record\$3 or writ\$3) near5 (value or threshold) near5 (disc or disk or medium)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	615	((monitor\$3 or measur\$3 or read\$3 or reproduc\$3 or sens\$3 or detect\$3) near2 (AGC or "automatic gain control" or "auto gain control")) same (high or hieght or flight or fly)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	47	360/\$.ccis. and (((monitor\$3 or measur\$3 or read\$3 or reproduc\$3 or sens\$3 or detect\$3) near2 (AGC or "automatic gain control" or "auto gain control")) same (high or hieght or flight or fly))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	109	((monitor\$3 or measur\$3 or read\$3 or reproduc\$3 or sens\$3 or detect\$3) near2 (AGC or "automatic gain control" or "auto gain control")) same ((stor\$3 or sav\$3 or record\$3 or writ\$3) with (value or threshold or data or information) with (disc or disk or medium))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	0	(((monitor\$3 or measur\$3 or read\$3 or reproduc\$3 or sens\$3 or detect\$3) near2 (AGC or "automatic gain control" or "auto gain control")) same ((stor\$3 or sav\$3 or record\$3 or writ\$3) with (value or threshold) with (disc or disk or medium))) not (((monitor\$3 or measur\$3 or read\$3 or reproduc\$3 or sens\$3 or detect\$3) near2 (AGC or "automatic gain control" or "auto gain control")) same ((stor\$3 or sav\$3 or record\$3 or writ\$3) with (value or threshold or data or information) with (disc or disk or medium)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	90	(((monitor\$3 or measur\$3 or read\$3 or reproduc\$3 or sens\$3 or detect\$3) near2 (AGC or "automatic gain control" or "auto gain control")) same ((stor\$3 or sav\$3 or record\$3 or writ\$3) with (value or threshold or data or information) with (disc or disk or medium))) not (((monitor\$3 or measur\$3 or read\$3 or reproduc\$3 or sens\$3 or detect\$3) near2 (AGC or "automatic gain control" or "auto gain control")) same ((stor\$3 or sav\$3 or record\$3 or writ\$3) with (value or threshold) with (disc or disk or medium)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
21	BRS	15	(((((monitor\$3 or measur\$3 or read\$3 or reproduc\$3 or sens\$3 or detect\$3) near2 (AGC or "automatic gain control" or "auto gain control")) same ((stor\$3 or sav\$3 or record\$3 or writ\$3) with (value or threshold or data or information) with (disc or disk or medium))) not (((monitor\$3 or measur\$3 or read\$3 or reproduc\$3 or sens\$3 or detect\$3) near2 (AGC or "automatic gain control" or "auto gain control")) same ((stor\$3 or sav\$3 or record\$3 or writ\$3) with (value or threshold) with (disc or disk or medium)))) and (fly\$3 near (height or high)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	16	(((((monitor\$3 or measur\$3 or read\$3 or reproduc\$3 or sens\$3 or detect\$3) near2 (AGC or "automatic gain control" or "auto gain control")) same ((stor\$3 or sav\$3 or record\$3 or writ\$3) with (value or threshold or data or information) with (disc or disk or medium))) not (((monitor\$3 or measur\$3 or read\$3 or reproduc\$3 or sens\$3 or detect\$3) near2 (AGC or "automatic gain control" or "auto gain control")) same ((stor\$3 or sav\$3 or record\$3 or writ\$3) with (value or threshold) with (disc or disk or medium)))) and (fly\$3 near (height or high)) or clearance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	1	(((((monitor\$3 or measur\$3 or read\$3 or reproduc\$3 or sens\$3 or detect\$3) near2 (AGC or "automatic gain control" or "auto gain control")) same ((stor\$3 or sav\$3 or record\$3 or writ\$3) with (value or threshold or data or information) with (disc or disk or medium))) not (((monitor\$3 or measur\$3 or read\$3 or reproduc\$3 or sens\$3 or detect\$3) near2 (AGC or "automatic gain control" or "auto gain control")) same ((stor\$3 or sav\$3 or record\$3 or writ\$3) with (value or threshold) with (disc or disk or medium)))) and ((fly\$3 near (height or high)) or clearance)) not ((((((monitor\$3 or measur\$3 or read\$3 or reproduc\$3 or sens\$3 or detect\$3) near2 (AGC or "automatic gain control" or "auto gain control")) same ((stor\$3 or sav\$3 or record\$3 or writ\$3) with (value or threshold or data or information) with (disc or disk or medium))) not (((monitor\$3 or measur\$3 or read\$3 or reproduc\$3 or sens\$3 or detect\$3) near2 (AGC or "automatic gain control" or "auto gain control")) same ((stor\$3 or sav\$3 or record\$3 or writ\$3) with (value or threshold) with (disc or disk or medium)))) and (fly\$3 near (height or high))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	6437	360/75.ccis.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	1844	(level or value or voltage or gain or amplitude or AGC or "automatic gain control") same (fly\$3 near10 (head or transducer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	47	(AGC or "automatic gain control") same (fly\$3 near10 (head or transducer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	15	("4777544"   "4933783"   "5082827"   "5130866"   "5168413"   "5339207"   "5377058"   "5410439"   "5412519"   "5446601"   "5631891"   "5760983"   "5831781"   "5909330"   "6249393").PN.	USPAT
28	BRS	69	(level or value or voltage or gain or amplitude or AGC or "automatic gain control") same (fly\$3 near10 (head or transducer)) same calibrat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	58	((level or value or voltage or gain or amplitude or AGC or "automatic gain control") same (fly\$3 near10 (head or transducer)) same calibrat\$3) not ((AGC or "automatic gain control") same (fly\$3 near10 (head or transducer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	2	((level or value or voltage or gain or amplitude or AGC or "automatic gain control") with (record\$3 or writ\$3) with (calibrat\$3) with (disc or disk or medium)) same (fly\$3 near10 (head or transducer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	17	((level or value or voltage or gain or amplitude or AGC or "automatic gain control") with (record\$3 or writ\$3 or sav\$3 or stor\$2) with (calibrat\$3) with (disc or disk or medium)) and (fly\$3 near10 (head or transducer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	13	((level or value or voltage or gain or amplitude or AGC or "automatic gain control") with (record\$3 or writ\$3) with (calibrat\$3) with (disc or disk or medium)) and (fly\$3 near10 (head or transducer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	9	((level or value or voltage or gain or amplitude or AGC or "automatic gain control") with (sav\$3 or stor\$2) with (calibrat\$3) with (disc or disk or medium)) and (fly\$3 near10 (head or transducer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	829	(stor\$2 or sav\$3) adj5 (value or average or calibrat\$3 or level) adj5 (disc or disk or medium)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	86	(stor\$2 or sav\$3) adj5 (value or average or calibrat\$3 or level) adj5 (disc or disk or medium) and 360/\$.ccis.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	14	(stor\$2 or sav\$3) adj5 (value or average or calibrat\$3 or level) adj5 (disc or disk or medium) and 360/75.ccis.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
37	BRS	181	(stor\$2 or sav\$3 or writ\$3 or record\$3) adj (value or average or calibrat\$3) adj3 (disc or disk or medium)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	16	(stor\$2 or sav\$3 or writ\$3 or record\$3) adj (value or average or calibrat\$3) adj3 (disc or disk or medium) and 360/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	28	((control\$3 or monitor\$3 or sens\$3 or determin\$3) with (fly\$3 near10 (head or transducer))) same burnish\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	2	(((control\$3 or monitor\$3 or sens\$3 or determin\$3) with (fly\$3 near10 (head or transducer))) same burnish\$3) and 360/75.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	8	(( (fly\$3 near10 (head or transducer))) same burnish\$3) and 360/75.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	207	(level or value or voltage or gain or amplitude or AGC or "automatic gain control") same (fly\$3 near10 (head or transducer)) and ((remov\$3 or eliminat\$3 or burnish\$3) with (asperit\$3 or debris or contamina\$4 or dust or particle))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	19	360/75.cccls. and ((level or value or voltage or gain or amplitude or AGC or "automatic gain control") same (fly\$3 near10 (head or transducer)) and ((remov\$3 or eliminat\$3 or burnish\$3) with (asperit\$3 or debris or contamina\$4 or dust or particle)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	1729	360/31.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	560965	(stor\$3 or sav\$3) with (disc or disk or medium or surface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	546	360/31.cccls. and ((stor\$3 or sav\$3) with (disc or disk or medium or surface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	BRS	18660	((stor\$3 or sav\$3) with (disc or disk or medium or surface)) near10 (calibrat\$3 or configur\$5 or correct\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	BRS	83	360/31.cccls. and ((stor\$3 or sav\$3) with (disc or disk or medium or surface)) near10 (calibrat\$3 or configur\$5 or correct\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	93715	360/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	BRS	24557	((fly\$3 near3 (high or height)) same ((stor\$3 or sav\$3) with (disc or disk or medium or surface)) near0 (calibrat\$3 or configur\$5 or correct\$3)) and 360/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	BRS	6440	360/75.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	1832	((fly\$3 near3 (high or height)) same ((stor\$3 or sav\$3) with (disc or disk or medium or surface)) near0 (calibrat\$3 or configur\$5 or correct\$3)) and 360/75.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	29	(fly\$3 near3 (high or height)) same ((stor\$3 or sav\$3) with (disc or disk or medium or surface)) near10 (calibrat\$3 or configur\$5 or correct\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	102	(fly\$3 near3 (high or height)) same (((stor\$3 or sav\$3 or writ\$3 or record\$3) with (calibrat\$3 or configur\$5 or correct\$3)) near10 (disc or disk or medium or surface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	66	360/\$.cccls. and ((fly\$3 near3 (high or height)) same (((stor\$3 or sav\$3 or writ\$3 or record\$3) with (calibrat\$3 or configur\$5 or correct\$3)) near10 (disc or disk or medium or surface)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	24	360/75.cccls. and ((fly\$3 near3 (high or height)) same (((stor\$3 or sav\$3 or writ\$3 or record\$3) with (calibrat\$3 or configur\$5 or correct\$3)) near10 (disc or disk or medium or surface)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	BRS	42	(360/\$.cccls. and ((fly\$3 near3 (high or height)) same (((stor\$3 or sav\$3 or writ\$3 or record\$3) with (calibrat\$3 or configur\$5 or correct\$3)) near10 (disc or disk or medium or surface)))) not (360/75.cccls. and ((fly\$3 near3 (high or height)) same (((stor\$3 or sav\$3 or writ\$3 or record\$3) with (calibrat\$3 or configur\$5 or correct\$3)) near10 (disc or disk or medium or surface))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	BRS	179	((fly\$3 or head or transducer) near3 (high or height)) same (((stor\$3 or sav\$3 or writ\$3 or record\$3) with (calibrat\$3 or configur\$5 or correct\$3)) near10 (disc or disk or medium or surface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
59	BRS	33	360/75.cccls. and (((fly\$3 or head or transducer) near3 (high or height)) same (((stor\$3 or sav\$3 or writ\$3 or record\$3) with (calibrat\$3 or configur\$5 or correct\$3)) near10 (disc or disk or medium or surface)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	BRS	9	(360/75.cccls. and (((fly\$3 or head or transducer) near3 (high or height)) same (((stor\$3 or sav\$3 or writ\$3 or record\$3) with (calibrat\$3 or configur\$5 or correct\$3)) near10 (disc or disk or medium or surface))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp
37	2004/02/24 16:11
38	2004/02/24 16:12
39	2004/02/24 17:06
40	2004/02/24 17:07
41	2004/02/24 17:08
42	2004/02/24 17:17
43	2004/02/24 17:17
44	2004/03/01 09:52
45	2004/03/01 09:53
46	2004/03/01 09:53
47	2004/03/01 09:57
48	2004/03/01 10:03
49	2004/03/01 10:05
50	2004/03/01 10:05
51	2004/03/01 10:05
52	2004/03/01 10:05
53	2004/03/01 10:18
54	2004/03/01 10:41
55	2004/03/01 10:29
56	2004/03/01 10:21
57	2004/03/01 10:29
58	2004/03/01 10:42
59	2004/03/01 10:42
60	2004/03/01 11:01

	Type	Hits	Search Text	DBs
61	BRS	15753	((calibrat\$3 or correct\$3 or configur\$5) with (value or data or info\$7) with (stor\$3 or sav\$3) with (disc or disk or medium or sector or track))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	BRS	1656	360/\$.ccls. and ((calibrat\$3 or correct\$3 or configur\$5) with (value or data or info\$7) with (stor\$3 or sav\$3) with (disc or disk or medium or sector or track))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	BRS	203	360/75.cccls. and ((calibrat\$3 or correct\$3 or configur\$5) with (value or data or info\$7) with (stor\$3 or sav\$3) with (disc or disk or medium or sector or track))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
64	BRS	53	((calibrat\$3 or correct\$3 or configur\$5) with (value or data or info\$7) with (stor\$3 or sav\$3) with (disc or disk or medium or sector or track)) same ((fly\$3 or head or transducer) near3 (high or height))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65	BRS	7	("4777544"   "4841389"   "4872071"   "4931887"   "5130866"   "5150050"   "5168413").PN.	USPAT
66	BRS	31	((calibrat\$3 or correct\$3 or configur\$5) with (value or data or info\$7)) with ((stor\$3 or sav\$3) adj3 (disc or disk or medium or sector or track)) same (((fly\$3 or head or transducer) near3 (high or height)) or crash\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
67	BRS	2	6049440.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
68	BRS	2	6049440.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69	BRS	160	(((fly\$3 or head or transducer) near3 (high or height)) or crash\$3) same ((writ\$3 or record\$3) with (another or different) with (sector or zone or track))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
70	BRS	93769	360/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
71	BRS	94	((((fly\$3 or head or transducer) near3 (high or height)) or crash\$3) same ((writ\$3 or record\$3) with (another or different) with (sector or zone or track))) and 360/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
72	BRS	160	((crash\$3 or fly\$3 or contact\$4) near5 (detect\$3 or sens\$3 or predict\$3 or monitor\$3)) and ((transfer\$3 or mov\$3 or relocat\$3 or writ\$3 or record\$3) near5 (data or information or info) near5 (another or different or adjacent) near5 (track or sector or zone))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
73	BRS	13	((((fly\$3 or head or transducer) near3 (high or height)) or crash\$3) same ((writ\$3 or record\$3) with (another or different) with (sector or zone or track))) and 360/\$.cccls.) not "9"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	BRS	91	((((fly\$3 or head or transducer) near3 (high or height)) or crash\$3) same ((writ\$3 or record\$3) with (another or different) with (sector or zone or track))) and 360/\$.cccls. and (((crash\$3 or fly\$3 or contact\$4) near5 (detect\$3 or sens\$3 or predict\$3 or monitor\$3)) and ((transfer\$3 or mov\$3 or relocat\$3 or writ\$3 or record\$3) near5 (data or information or info) near5 (another or different or adjacent) near5 (track or sector or zone)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
75	BRS	90	360/\$.cccls. and (((crash\$3 or fly\$3 or contact\$4) near5 (detect\$3 or sens\$3 or predict\$3 or monitor\$3)) and ((transfer\$3 or mov\$3 or relocat\$3 or writ\$3 or record\$3) near5 (data or information or info) near5 (another or different or adjacent) near5 (track or sector or zone)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
76	BRS	343	((crash\$3 or fly\$3 or contact\$4 or asperit\$3 or defect) near5 (detect\$3 or sens\$3 or predict\$3 or monitor\$3)) and ((transfer\$3 or mov\$3 or relocat\$3 or writ\$3 or record\$3) near5 (data or information or info) near5 (another or different or adjacent) near5 (track or sector or zone))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
77	BRS	164	360/\$.cccls. and (((crash\$3 or fly\$3 or contact\$4 or asperit\$3 or defect) near5 (detect\$3 or sens\$3 or predict\$3 or monitor\$3)) and ((transfer\$3 or mov\$3 or relocat\$3 or writ\$3 or record\$3) near5 (data or information or info) near5 (another or different or adjacent) near5 (track or sector or zone)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
78	BRS	74	(360/\$.cccls. and (((crash\$3 or fly\$3 or contact\$4 or asperit\$3 or defect) near5 (detect\$3 or sens\$3 or predict\$3 or monitor\$3)) and ((transfer\$3 or mov\$3 or relocat\$3 or writ\$3 or record\$3) near5 (data or information or info) near5 (another or different or adjacent) near5 (track or sector or zone))) not (360/\$.cccls. and (((crash\$3 or fly\$3 or contact\$4) near5 (detect\$3 or sens\$3 or predict\$3 or monitor\$3)) and ((transfer\$3 or mov\$3 or relocat\$3 or writ\$3 or record\$3) near5 (data or information or info) near5 (another or different or adjacent) near5 (track or sector or zone))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

Time Stamp	
61	2004/03/01 11:05
62	2004/03/01 11:05
63	2004/03/01 11:05
64	2004/03/01 11:26
65	2004/03/01 11:20
66	2004/03/01 11:42
67	2004/03/01 11:42
68	2004/03/01 17:23
69	2004/03/02 12:53
70	2004/03/02 12:47
71	2004/03/02 12:47
72	2004/03/02 13:14
73	2004/03/02 13:00
74	2004/03/02 13:00
75	2004/03/02 13:01
76	2004/03/02 13:27
77	2004/03/02 13:16
78	2004/03/02 13:16

	Type	Hits	Search Text	DBs
79	BRS	392	((crash\$3 or fly\$3 or contact\$4 or asperit\$3 or defect or fault) near5 (detect\$3 or sens\$3 or predict\$3 or monitor\$3)) and ((transfer\$3 or mov\$3 or relocat\$3 or writ\$3 or record\$3) near5 (data or information or info) near5 (another or different or adjacent) near5 (track or sector or zone))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
80	BRS	0	((crash\$3 or fly\$3 or contact\$4 or asperit\$3 or defect or fault) near5 (detect\$3 or sens\$3 or predict\$3 or monitor\$3)) and ((transfer\$3 or mov\$3 or relocat\$3 or writ\$3 or record\$3) near5 (data or information or info) near5 (another or different or adjacent) near5 (track or sector or zone))) not (((crash\$3 or fly\$3 or contact\$4 or asperit\$3 or defect or fault) near5 (detect\$3 or sens\$3 or predict\$3 or monitor\$3)) and ((transfer\$3 or mov\$3 or relocat\$3 or writ\$3 or record\$3) near5 (data or information or info) near5 (another or different or adjacent) near5 (track or sector or zone)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
81	BRS	49	((crash\$3 or fly\$3 or contact\$4 or asperit\$3 or defect or fault) near5 (detect\$3 or sens\$3 or predict\$3 or monitor\$3)) and ((transfer\$3 or mov\$3 or relocat\$3 or writ\$3 or record\$3) near5 (data or information or info) near5 (another or different or adjacent) near5 (track or sector or zone))) not (((crash\$3 or fly\$3 or contact\$4 or asperit\$3 or defect or fault) near5 (detect\$3 or sens\$3 or predict\$3 or monitor\$3)) and ((transfer\$3 or mov\$3 or relocat\$3 or writ\$3 or record\$3) near5 (data or information or info) near5 (another or different or adjacent) near5 (track or sector or zone)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
82	BRS	2	4835757.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

Time Stamp	
79	2004/03/02 13:28
80	2004/03/02 13:29
81	2004/03/02 13:56
82	2004/03/02 13:57